

# Health Anxiety

A self help guide

Shining a light on the future





“I am always at the doctor’s surgery. That is because I often worry about having something wrong with me. Last week it was tingling in my hands and arms. I thought it was the first sign of something like M.S. The doctor did some tests and said it was nothing to worry about. At first I felt better, but this week I have had a headache too, maybe I should go back just to make sure...”

“I often have worrying symptoms that must be the sign of something serious. The doctors have found nothing yet. I make sure that I rest a lot so I don’t strain myself. I don’t travel away from my own town, I want to be near our own doctors. My wife tells me nothing is wrong but that only makes me feel better for a few minutes. I just feel I must keep checking how I am every day...”

These are the thoughts of two people who suffer from health anxiety. That means that they worry a lot about their health. This focus on health makes their symptoms seem worse. Much of their time is taken up with these worries and reassurance from a doctor that nothing is wrong doesn’t seem to help for long.

If you find yourself with many troublesome worries about your health you may be experiencing health anxiety. The rest of this guide can help you to think about this. It tells you about the signs of health anxiety and how you may help yourself to manage this difficulty.

### **Isn’t it normal to worry about health?**

We all worry about our health from time to time, for example, if we had to go into hospital for an operation, or if we are recalled by our doctor following tests. Worrying about our health can lead us to improve our lifestyle, for example, to give up smoking or to eat a healthy diet.

### **When does worrying about our health become a problem?**

Health worries become a problem when they begin to get in the way of normal life even though there is no reason to think that anything is seriously wrong.

This guide may also help people who have a health problem but find that they worry too much about it.

### **What are the signs of health anxiety?**

You may be experiencing health anxiety if you worry about your health a lot of the time when there is no medical reason to do this, and how you lead your life is affected by this. You may often seek comfort or reassurance from other people that everything is alright. This may be from family, friends, or your doctor.

You may find you are checking your body for symptoms, and that the more you check, the more you seem to notice strange feelings or lumps in your body. You may avoid certain activities as if you were ill, and you may avoid anything to do with illness e.g. information or medical programmes on the television.

On the other hand some people with health anxieties find themselves drawn to any information about illnesses and can begin to notice the signs of such illness in themselves.

### **Am I suffering from health anxiety?**

Anxiety of any sort can affect us in at least four different ways. It affects:

- The way we feel
- The way we think
- The way our body works
- The way we behave

In order to check out whether you may be suffering from health anxiety think about the symptoms you experience regularly:

### **How you feel**

- Anxious, nervous, worried, frightened
- A feeling of dread
- Tense, stressed, uptight, on edge, unsettled
- Unreal, strange, woozy, detached
- Panicky

- Feeling tired or unwell

### How you think

- Constant worrying about health
- Imagining the worst and dwelling on it
- Thoughts about illnesses and symptoms
- Concentrating on parts of your body and symptoms
- Thinking that the doctor may be able to help
- Thinking that if you don't worry, you are tempting fate
- Worrying that the doctor may have missed something
- A belief that unless you keep an eye on things you may miss signs of a serious illness
- Beliefs that you may have something terribly wrong but you don't want to think about it
- Thinking that your family or friend may know if this symptom seems serious
- Wish you could consult the doctor but fear he or she now thinks of you as a time waster or does not take you seriously

### Common thoughts

- "This must be cancer"
- "I feel I am unwell"
- "Surely a headache like this can't be just stress"
- "That tingling seems like it may be the first sign of a stroke"
- "I may die if I don't do something"
- "Doctors often miss illnesses despite examinations and tests"
- "Some new symptoms have come since I last spoke with the doctor, it may be more serious than he thought"

### What you do

- Go to the doctor's surgery frequently
- Ask family and friends for reassurance about your symptoms
- Frequently check your body for symptoms such as lumps or bumps, tingling and pain
- Focus on one area of the body for changing sensations
- Avoid any information on serious illnesses e.g. turn the TV off if a hospital programme is on
- Seek out any information on serious illnesses, and check for those symptoms (books, Internet, TV)
- Act as if you were ill, for example, avoiding exertion or exercise, keeping near to home, resting

### What happens to your body?

These are typical in all types of anxiety

- "Odd" sensations in various parts of body
- Body aching
- Breathing changes
- Chest feels tight or painful
- Dizzy, light headed
- Feeling jumpy or restless
- Having to go to the toilet frequently
- Headache
- Heart pounds, races, skips a beat
- Stomach churning, "butterflies"
- Sweating
- Tense muscles
- Tingling or numbness in toes, fingers or arms

If you are regularly suffering from some or all of these symptoms, then it is possible that you are suffering from health anxiety.

### **What causes health anxiety?**

There are many reasons why someone worries too much about their health. You may be going through a particularly stressful period of your life. There may have been illness or death in your family, or another family member may have worried a lot about your health when you were young.

### **What keeps health anxiety going?**

People with health anxiety have their normal day-to-day life badly affected by their worries about health. This often continues despite tests and reassurances that no medical condition justifies this concern.

### **In health anxiety, a vicious circle keeps the problem going:**

Triggers Illness or death in family, being ill, noticing normal body sensations, stress, information in papers and Television, long term beliefs about your health.

Feelings of tension and threat  
Focus on bodily symptoms

Worrying thoughts  
“Is my heart failing?”  
This is cancer  
This might kill me

Behaviours  
Checking for symptoms  
Focus on body  
Asking for reassurance from doctor, family or friends  
Stops going out  
Stays off work  
(Anxiety reduced in short term)

Anxiety and increased symptoms  
Shakiness, short of breath, headache, tingling, chest pains

Focus on bodily symptoms.

**From this vicious circle of health anxiety we can see that there are certain things that keep a health anxiety going.**

### **What are the things I might do that keep health anxiety going?**

Everyone has different worries but there are six main things that you may tend to do that will keep health anxiety as a major problem for you. We will describe each in turn and you may want to jot down your own particular difficulties in each area. This will begin to help you to be clear what difficulties you need to work on with the help of later parts of this guide

#### **1. Focus on symptoms and the body, checking and monitoring**

When we focus on one part of the body, we tend to notice physical sensations and symptoms that we were unaware of before, and even bumps and lumps in that body part. The more you focus on one area or symptom, the more you notice it. Think of what happens when someone mentions head lice! People with

health anxiety tend to find these symptoms and sensations worrying and check them very frequently. This focus can also include squeezing, prodding, scratching and mirror gazing.

**Do you have a symptom, sensation, body part or lump/bump that you have focussed on a lot?**

## **2. Worrying thoughts about symptoms and health information**

People with health anxiety tend to have unhelpful thoughts about bodily symptoms and other health information. Here are some examples:

### **Jumping to conclusions:**

- “If the doctor sent me for tests she must be really worried”
- “A headache like that must be something serious”

**Do you ever think like this?**

### **Catastrophising:**

- “It could kill me in months”
- “My children will be left without a mother before they are at school”

**Do you ever think like this?**

### **All or nothing thinking:**

- “If I have any symptoms then there must be something seriously wrong with me”
- “I need to have all possible tests or else something may have been missed”

**Have you ever had thoughts like this?**

### **Emotional Reasoning:**

- “I feel something is wrong so there must be something wrong”
- “This tension must be caused by a serious illness”

**Have you have had similar thoughts?**

## **3. Getting reassurance or comfort from others**

It is common for people to seek reassurance from others if they are worried. People with health anxiety often seek comfort from friends and family or their doctor. This reassurance works at first and they feel a little less worried. This does not last and the worry is soon back. People can get into a habit of asking for reassurance very often. This keeps the symptoms very much in their mind and usually makes them feel worse. If reassurance does not work for you the first or second time it may actually be keeping your worry going.

**Think about who you ask to give comfort and reassurance for health worries and how often you ask them to reassure you:**

#### **4. Finding out about illness**

Sometimes finding out too much information about illness can increase worries and make people focus on new symptoms or body areas. Books, magazines, the internet and partial information from your doctor can lead to this.

#### **5. Avoidance**

Sometimes avoiding things to do with illness can keep your worries going, for example, you may turn the TV over as Casualty comes on, or shut a newspaper that describes AIDS. Sometimes people also avoid exercise or activity because of a fear that it will bring on illness. This can lead to low mood and an increase of symptoms because of loss of fitness.

**Can you think of times when you may have avoided information or activities because of worries about your health?**

#### **6. Deeper beliefs that make you likely to worry about health**

**Certain long held beliefs can lead us to have health anxieties**

- Bodily changes are always a sign that something is wrong
- If I worry about it, then at least I'm prepared for the worst
- I'm prone to cancer or heart problems or stroke; we have a family history of it and I'm sure to get it
- Doctors often make mistakes
- Extensive tests are the only way to know you are well
- If I'm not 100% sure that I am well, then I am likely to be ill. I can't risk that

**To summarise:**

- Worrying about health is quite normal from time to time
- Health anxiety becomes a problem when it gets in the way of normal life, even though there is no reason to think anything is seriously wrong
- People with health anxiety often:
  - Seek comfort or reassurance from others
  - Frequently check their body for symptoms
  - Avoid information about health or seek out too much information
  - Avoid activity as if they were ill
  - Have unrealistic worrying thoughts and beliefs about health

The next section suggests some ways of coping with health anxiety.

**How can I cope with health anxiety?**

It may help you to write a list of health anxieties to begin to understand and cope with your difficulty. Checking your body, Worrying Thoughts, something in my background that makes me worry about health, going to the doctor ask for comfort or reassurance from, don't do things in case I am ill, avoid information about health, focus on body areas of symptoms, looking on internet and at books.

Write down thoughts, feelings, or things you do when worrying about your health.

**Why should I try and stop worrying about my health, isn't that dangerous?**

- You can never be sure that your health is perfect
- You can waste a lot of time worrying that something is seriously wrong
- Imagine that you are 90 years old and looking back on your life. You think of all those years wasted in worry about health
- If you think about one part of your body for too long you are bound to notice strange sensations. Try focusing on your throat for a few minutes – swallow three times. Notice how this focus brings on difficulty in swallowing and sensations in that area
- What good things could you do if you were not worrying about health?

Try making a list of the advantages and disadvantages of continuing to worry about your health. An example is given first.

<b>Advantages</b>	e.g. "I get relief in the short term when my husband says no, that doesn't feel like a lump to him"
<b>Disadvantages</b>	e.g. "In the longer term I have to ask him again and again if I am alright and I get very tense, and he gets cross with me".

**How can I stop asking for reassurance from the doctor and other people?**

Asking for comfort or reassurance including going to the doctor for tests makes you feel better in the short term, but tends to make you think more about your health and become more anxious in the longer term.

Try to keep a record of how many times you ask for comfort and how worried you felt each day.

If you can, draw a table with the days of the week along the top of the table, on the left of the table create another two rows containing the following.

Row 1 number of Times asked for reassurance and comfort

Row 2 Number Scale of worry from 0 to 10 i.e zero equals no worry up to 10 equals very worried.

Reducing the number of times you ask for reassurance or comfort will make you less anxious in the long term.

It may help to distract yourself, try to do something active such as going for a walk. Keep busy; you can try to delay asking for comfort. You can try to ask for comfort a little less each day over a week.

**How can I stop my focus on symptoms and the body?**

Focus on the body including squeezing, prodding, scratching and mirror gazing can lead to increase in symptoms and will make you feel very anxious.

You can make a plan to gradually reduce the number of checks you allow yourself to do each day.

If you can, create a table with the days of the week in the top column.  
In the column on the left, make a row called Number of checks.  
In this row add the amount of checks you do each day. Try to reduce the number of checks you perform each day.  
As you reduce the number of checks you should begin to feel less anxious about your health.

### How can I stop myself finding out too much about illness?

We know that too much focus on illness can lead people to focus on their bodies and symptoms.

This can increase health anxieties. If this is something you do, you may try to stop this by:

- Not reading medical books, looking at medical Internet sites or reading medical articles in magazines. You should not watch every medical programme
- Get your family or friends to support you in this
- Try and find other ways of coping with anxiety.

Keep a record of the number of times you looked for illness information and try to make a table like this;

Week one Internet, TV books

Week two Internet, Tv books

Week 3 Internet Tv books

Week 4 Internet TV Books

### How should I stop behaving as if I am ill?

Some people who worry about their health stop doing things because they worry it will bring on illness. This has the effect of making you less healthy and fit, and in the long run it will lower your mood and increase health risks.

It is important to return to normal activities.

Start by making a list of things you have avoided because of health anxiety. Peter worries about his heart. Here is his list:

Things avoided
<ul style="list-style-type: none"><li>● Going to the pub at night</li><li>● Walking the dog</li><li>● Walking into town</li><li>● Sex</li><li>● Game of football with friends</li><li>● Fast walking up stairs</li></ul>

Next make a step-by-step plan to introduce activity. Here is Peter's plan to begin to get more active:

Week one step one each day walk faster up stairs. Walk the dog.

Week two Step two Each day Walk into town twice. Go to pub.

Week 3 Step three Each day All of the above and sex

Week four step four Each day all of the above and football.

You can try a similar plan.

### How can I alter worrying thoughts about my health?

We have already explained that some ways of thinking can make health anxiety worse. These thoughts can also be pictures in your mind. The best way to stop these worrying thoughts is to think other less anxious, more balanced thoughts.

Here are some examples of how you can do this

**Worrying thought/ picture**

Any new body change/symptom is a sign of something serious... I seem to have a lot of headaches just now..."

**Balanced thought**

"People have body changes and symptoms all the time, it is normal and it is rarely a sign of serious illness... headaches are often a sign of stress..."

**Worrying thought/ picture**

Lots of tests are the only way to know you are well...I may be unwell and don't know it..."

**Balanced thought**

"You cannot have tests all of the time... there is no way to be 100% sure you are well ... better not to waste time worrying about it..."

**Worrying thought/ picture**

My family has a history of heart problems... I'm just waiting and watching for when it happens to me..."

**Balanced thought**

"I have discussed this with my doctor and she tells me I am fine. Constant checking is just stressful and bad for my health, I should just try and relax..."

**Worrying thought/ picture**

"Picture in my head of family around my hospital bed and I am seriously ill..."

**Balanced thought**

"What is the point in thinking this way... yes some day I will die but is it useful to think about it all the time now?"

**Remember if you have health anxiety you will tend to view any information, however neutral, as a sign that something is seriously wrong! Watch out for this and challenge this habit.**

It can help to keep a diary of worrying thoughts and more balanced thoughts. Think back to recent health worries and try to do this now. Give reasons for your new more balanced thought.

Worrying thought	Balanced thought and reasons for that thought

**Where can I find further help for health anxiety?**

We hope you will use the advice in this guide You should find it helpful. If you feel you need more help you should discuss this with your GP who will tell you about alternative treatments and local services. There are

a number of self help booklets other people have found helpful. These books may be available for your local library.

### Helpful contacts:

- **Anxiety Care**  
Helpline: 0 2 0 8 4 7 8 3 4 0 0  
Telephone 0 2 0 8 2 6 2 8 8 9 1  
www dot anxiety care dot org uk  
Address Cardinal Heenan Centre, 326 High Road, Ilford, Essex, 1 G 1 1 Q P  
Provides helpline and support to those suffering from anxiety.
- **Anxiety UK**  
Telephone 0 8 4 4 4 7 7 5 7 7 4  
www dot anxiety uk dot org dot uk  
address Zion Community Resource Centre, 339 Stretford Road, Hulme, Manchester, M15 4ZY  
Provides information and support to people suffering from anxiety disorders.
- **British Association for Counselling and Psychotherapy**  
Telephone 0 1 4 5 5 8 8 3 3 1 6  
www dot b a c p dot co dot uk  
B A C P House, 15 St John's Business Park, Lutterworth, Leicestershire, LE 1 7 4 H B  
Offers an information service providing contacts for counselling in England and Wales.
- **First Steps to Freedom**  
Helpline: 0 8 4 5 1 2 0 2 9 1 6  
Telephone : 0 8 4 5 8 4 1 0 6 1 9  
www dot first hyphen steps dot org  
PO Box 476, Newquay, T R 7 1 W Q  
Provides helpline and resources for those suffering from anxiety.
- **Mental Health Matters**  
Telephone 0 1 9 1 5 1 6 3 5 0 0  
www dot mental health matters dot com  
Avalon House, St Catherines Court, Sunderland Enterprise Park, Sunderland, S R 5 3 X J  
A national organisation which provides support and information on employment, housing, community support and psychological services.
- **Mind Infoline**  
Telephone 0 8 4 5 7 6 6 0 1 6 3  
www dot mind dot org dot uk  
15 to 19 Broadway, Stratford, London, E 1 5 4 B Q  
Provides information on a range of topics including types of mental distress, where to get help, drug and alternative treatments and advocacy. Also provides details of help and support for people in their own area.  
Helpline available Monday to Friday, 9am to 5pm.
- **NHS Choices – Your health, your choices**  
www dot nhs dot uk  
Information about conditions, treatments, local services and healthy lives.
- **NHS Direct**  
Telephone 0 8 4 5 4 6 4 7  
www dot n h s direct dot nhs dot uk  
Health information and advice.
- **No Panic**  
Freephone: 0 8 0 8 8 0 8 0 5 4 5  
www dot no panic dot org dot uk  
93 Brands Farm Way, Telford, Shropshire, T F 3 2 J Q  
Support for sufferers of panic attacks, phobias, obsessive compulsive disorder, general anxiety disorder and tranquilliser withdrawal.

- **PALS – Patient Advice and Liaison Service**  
www dot pals dot nhs dot uk  
Provides information and advice about local NHS services and support organisations and helps sort out problems with NHS services.
- **Rethink**  
Helpline: 0845 456 0455  
www rethink dot org  
89 Albert Embankment, London, SE1 7TP  
Provides information and a helpline for anyone affected by mental health problems.

**Suggested books:**

- **Understanding health anxiety**  
C. Kuchemann and D. Sanders  
A cognitive behavioural approach to understanding and managing worries about health. Available from Oxford Cognitive Therapy Centre www dot o c t c dot co dot uk
- **Stop worrying about your health**  
G. Zgourides  
Lulu dot com 2008  
A specialist in anxiety disorders provides a self-help guide for readers who are excessively concerned about their health.
- **Its not all in your head: how worrying about your health could be making you sick – and what you can do about it**  
S.Taylor and G. Asmundson  
Guilford 2005  
Provides simple and accurate self-tests designed to help you understand health anxiety and the role it might be playing in how you feel. Concrete examples and helpful exercises show you how to change thought and behaviour patterns that contribute to the aches, pains, and anxiety you're experiencing.



# Support your NHS

## Join our NHS Foundation Trust

Northumberland, Tyne and Wear NHS Foundation Trust provides a range of mental health, learning disability and specialist services for a large part of the North East of England and beyond. You may not think these services have very much to do with you, but mental health problems affect 1 in 4 people and there are a growing number of people with both learning and other disabilities.

As a member of our Foundation Trust you can be as active as you like, from just receiving regular information about the trust to getting involved in issues that you care about. It's free to join. Please complete and return the Membership Application Form.

Shining a light on the future



# Membership Application Form

## Your information

Mr  Mrs  Miss  Other \_\_\_\_\_  
(please specify)

First Name: \_\_\_\_\_ Surname: \_\_\_\_\_

Address: \_\_\_\_\_

Postcode: \_\_\_\_\_

Email: \_\_\_\_\_

How would you like us to contact you?

Post  Email

## About You

We are required to collect the following information about our members.

Date of Birth: \_\_\_\_\_

Male  Female

Are you: White   
Mixed   
Asian or Asian British   
Black or Black British   
Other (please specify) \_\_\_\_\_

Please return your completed form to Freepost NTW,  
Cherry Knowle Hospital, Ryhope, Sunderland SR2 0NB



Mental Health Self Help Guides  
[www.dot.nrw.nhs.uk/pic](http://www.dot.nrw.nhs.uk/pic)

- Abuse
- Alcohol and You
- Anxiety
- Bereavement
- Controlling Anger
- Depression
- Depression and Low Mood
- Eating Disorders
- Domestic Violence
- Food for Thought
- Health Anxiety
- Hearing Voices
- Obsessions and Compulsions
- Panic
- Postnatal Depression
- Post Traumatic Stress
- Self Harm
- Shyness and Social Anxiety
- Sleep Problems
- Stress
- **Plus 3** guides for prisoners



Shining a light on the future



Written by Lesley Maunder, Lorna Cameron, Gail Young and Maureen Leyland,  
Northumberland, Tyne and Wear NHS Foundation Trust.

**This information can be made available in a range of formats on request (e.g. Braille, audio, large print, B S L, easy read or other languages). Please contact the Patient Information Centre Telephone : 0 1 9 1 2 2 3 2 5 4 5**

Published by the Patient Information Centre

2010 Copyright, Northumberland, Tyne and Wear NHS Foundation Trust

Reference , P I C / 9 4 / 0 6 0 1 0 June 2010

[www dot ntw dot nhs dot uk / p i c](http://www.dotntw.dotnhs.dotuk/pic) Telephone 0 1 9 1 2 2 3 2 5 4 5

Review date 2012

